

Linux distributions without systemd

From Without Systemd

This article lists [Linux distributions](#) which :

1. have a default init system other than systemd
2. are open source (accessible source code available for the content of the distributed IMG or ISO)
3. are actively maintained and provide contact information of the developers
4. have a website and/or provide end user support via a well-established and maintained forum/maillinglist

General purpose

Independent

Name	Init	Package managers	arch	Desktops?	Details / Notes
Ataraxia Linux	OpenRC	neko (compatible with CRUX)	amd64, x86, ARM, MIPS, PowerPC64 (big and little endians) and RISC-V	XFCE, DWM, OpenBox, i3, Sway, TWM	source based
4MLinuxDW	BusyBox	?	i386, i686	JWM	
Ad�lie Linux	OpenRC	apk	amd64, arm, arm64, x86, ppc, ppc64	KDE, Xfce, Fluxbox, i3, IceWM, Openbox	source based, uses musl libc, currently in beta stage
Alpine LinuxDW	BusyBox + OpenRC	apk (custom)	amd64, i386, armhf	?	uses BusyBox + musl libc + OpenRC
Bedrock Linux	BusyBox / any	any	?	?	Bedrock Linux can utilize any of a large number of init systems as provided by other distributions
CRUXDW	SysV + /etc/rc.*	tar.xz based	amd64, arm	Openbox	
Dragora GNU/Linux LibreDW	SysV + perp	tar.xz based	i586, amd64, arm(64), microblaze, mips, powerpc(64), s390x	Xfce, IceWM, spectrwm	Linux Libre distro
Fatdog64 LinuxDW	dumb-init	gslapt, SFS Loader	amd64, arm		(3)

Name	Init	Package managers	arch	Desktops?	Details / Notes
GentooDW	SysV + OpenRC[1]	Portage	amd64, i486, i586, i686, alpha, arm, hppa, ia64, mips, powerpc, ppc64, sparc64	no	If Portage is pulling in systemd, please read this . Further suggested reading .
GoboLinuxDW	SysV + BootScripts	file system	amd64	awesome	a source-based distribution which employs a unique file structure (not FHS)
GuixSDDW	Shepherd (pure Guile)	GNU Guix	amd64, i686	Xfce and GNOME	provides advanced package mgmt features such as transactional upgrades and roll-backs; FSF-approved
KaNaPi	bash script	file system	amd64, armhf, i686	XFCE and Sugar	educational + game apps
KISS	busybox runit	KISS source packages	amd64		
NuTyXDW	SysV	cards	?	?	inspired by LFS & BLFS; its "cards" pkg mgr can install individual or grouped binary packages, and can compile source pkgs from "ports"
OviOS LinuxDW	SysV	pacman	amd64	?	(2) previously used systemd; was rebuilt around sysV init because systemd proved unsuitable for a stable storage system
PCLinuxOSDW	SysV	APT+RPM	amd64	MATE and KDE	
Plop LinuxDW	SysV		amd64, armv6l, i486	?	(PXE/liveboot) designed to rescue data from a damaged system, or to backup and repair operating systems
Puppy LinuxDW	SysV	Puppy Package Manager	amd64, i386	LXDE	Puppy Linux's position on systemd
SlackwareDW	SysV + /etc/rc.d/rc.*	installpkg, pkgtool, slackpkg	amd64, i586, s390, arm	KDE and Xfce	
Source Mage GNU/LinuxDW	simple-init	Sorcery	amd64, i386, i486, i586, i686	?	source based

Name	Init	Package managers	arch	Desktops?	Details / Notes
Void LinuxDW	runit	xbps	amd64, armv6, armv7, i686	LXQt	supported libcs: glibc, musl

Non general purpose:

- [RancherOSDW](#) a minimalist Linux distribution designed to host Docker containers. Supported architecture: amd64
- [TLD Linux](#) for server environments (no desktop support except for running VNC/RDP sessions for virtual machine management GUI) ; amd64 and i686

Unclear what init system they use:

Name	Init	Package mgmt	amd64?	Desktops?	Details / Notes	Other ports?
Tiny Core LinuxDW	BusyBox	?	yes	FLTK/FLWM	; (also: "CorePlus") (also "piCore" edition, for Raspberry Pi)	i486
Sanity Linux	BusyBox	pkgsrsc	?	?	(formerly, "Pür Linux"), source-based, ports	?
LinuxConsoleDW	?	?	yes	MATE and LXDE	tailored to gaming / educational use	i686

Derivatives

- [CruxEX](#) (based on #CRUX) (2)(3) x86_64 available only as a zip file, no iso; LXDE desktop

Arch Linux based

Arch Linux's package manager is Pacman.

Name	Init	Details / Notes
Artix LinuxDW	OpenRC/runit	eudev, replaces Arch-OpenRC and Manjaro-OpenRC
Hyperbola GNU/Linux-libre	OpenRC	(2) pacman pkg manager; "LTS Arch snapshot versions"; amd64, i686. Switches to OpenBSD, last Linux based release supported until 2022
Obarun	s6-rc	x86_64
Parabola nosystemd editionDW	OpenRC / GNU+Shepherd	[2],[3]; A part of the GNU project and FSF-approved; x86_64, armv7h, i686

Debian based

Debian's package manager is dpkg and APT. See [DebianReleases](#).

Name	Debian version	Init	Details / Notes
antiX LinuxDW	10 Buster	SysV or runit	flexible remastering and persistence tools. Multiple WMs: JWM+iceWM+fluxbox; amd64, i486

Name	Debian version	Init	Details / Notes
TrisquelDW	9 Stretch > Ubuntu 16.04	upstart	LXDE and MATE desktops; amd64 and i386
DevuanDW	9 Stretch	SysV / OpenRC	XFCE desktop; supported architectures: amd64, i686, arm (see: /embedded
KNOPPIXDW	merge of stable, testing and unstable	SysV	(video : “Defying systemd”) employs systemd-shim
MX LinuxDW	10 Buster	SysV	(Mepis+antiX) XFCE desktop; includes antiX remastering n persistence tools; supported architectures: amd64, i386
GNUstep Live CDDW	9 Stretch	SysV	GNUstep using WindowMaker ; amd64, i686

Devuan based

Name	Init	Details / Notes
Exe GNU/LinuxDW	SysV	features Trinity Desktop Environment; amd64, i686
Refracta	OpenRC	(2) (3) amd64, i386; also: (Refracta Devuan 2) Openbox, eudev

Void Linux based

Name	Init	Details / Notes
Project Trident	runit	was based on FreeBSD, switched to Void Linux base end of 2019

Gentoo based

Name	Init	Details / Notes
Calculate LinuxDW	OpenRC init	Cinnamon, KDE Plasma, LXQt, MATE, or Xfce (wiki spamfilter block to project site: calculate-linux.org)
Chromium OS (2)	upstart init (boot-design doc)	
Funtoo LinuxDW FAQ	OpenRC	source-based; uses git-housed, distributed Portage tree and Funtoo overlay. amd64, i486, i686, sparc64
Redcore LinuxDW	OpenRC or SysV init	serves pre-built binary packages from repository; openbox window manager

NOTE: additional Gentoo/*BSD subprojects exist, providing ports to various BSD-derived operating systems. See: [Gentoo/Alt](#)

Slackware based

Name	Init	Details / Notes
Absolute LinuxDW (based on Slackware64-current)	SysV	IceWM+ROX; supported architectures: i686, amd64
Salix OSDW	SysV	i486, i686, amd64
SlackelDW (based on Slackware+salix)	SysV	
Slint (2) (3) (based on Slackware + Salix)	SysV	accessible to visually impaired users (speech and braille device)

Name	Init	Details / Notes
SARPi (2)	SysV	Slackware ARM on Raspberry Pi
SlaXBMC (2)	SysV	
ZenwalkDW	SysV	supported architectures: amd64, i486, i686

Available without standard GNU tools

- [Alpine Linux](#)
- [EasyOS \(2\)\(3\)\(4\)](#) aufs layered filesystem, containers; ROX desktop
- [Sabotage Linux](#) (musl libc + [BusyBox](#) init) i386, x86_64, MIPS, PowerPC32, ARM(v4t+)
- (xref) Void Linux
- [XBian](#) (based on Debian) media center distribution for the Raspberry Pi, CuBox-i, and other arm devices (init: Upstart)

Linux from scratch

[Linux from ScratchDW](#) is not a distribution, it's a book on how to build your own Linux system from source. It can be used with SysV. i386, x86_64; (also CLFS, aka [Cross LFS](#) supports additional architectures: mips, powerpc, ppc64, alpha, sparc, hppa, arm)

Special purpose

- [IPFire \(2\)\(3\)](#) (forked from IPCop, based on LFS) firewall distribution for x86 and ARM-based systems; armv5tel, i586, x86_64
- [Maemo Leste](#) (based on Devuan ASCII) for Nokia N900, Nokia N950, Nokia N9 and Motorola Droid 4 mobile phones, Allwinner tablets, and Raspberry Pi 2, 3 and Olimex Lime 2 SBCs[7] mainline Linux; OpenRC init; Hildon desktop; architectures: armel, armhf and amd64
- [PicarOS](#) "suitable for kids from 3 to 12 and teachers" ?; XFWM + LXDE desktop; i486, i686
- [Porteus KioskDW](#) [BusyBox](#) init; lightweight kiosk
- [Smoothwall Express Community Edition](#) firewall O/S, provides a web interface
- [TinyPaw-Linux](#) (based on CorePlus) a self-described "passive & aggressive WiFi attack distro"

Live-only distros

- [AUSTRUMIDW](#) bootable live CD, to be run from RAM ([iso images](#) via ftp)
- [heads](#) (based on Devuan) The Heads incognito live OS, intended as a systemd-free alternative to Tails, the Amnesia incognito live OS
- [Liveslak](#) Liveslak is the project which generates the ISO images for many variants of the [Slackware Live Edition](#). Supported architectures: i486, i586, amd64.
- [Minimal Linux Live \(2\)\(3\)](#) Linux kernel, GNU C library, and [BusyBox](#) init; i386, x86_64
- [Parted Magic](#) ?what init system?, liveboot distribution providing disk partitioning and data recovery tools. Openbox WM; i486, i686, x86_64 [FOSS?](#) (licensed [GPL](#))
- [PentooDW](#) Gentoo-based security-focused live CD; i686, x86_64
- [PorteusDW](#) (based on Slackware 14.2) lightweight modular live CD/USB; i486, amd64
- [SliTaz GNU/LinuxDW](#) [BusyBox](#) init, uses tazpkg, lightweight live CD/USB, supported architectures: armel, i386, x86_64
- [SystemRescueCdDW](#) (Gentoo/OpenRC based system rescue disk) JWM, Xfce; i586

- [TAZ \(2\)\(3\)](#) (Slitaz fork) (also: a gentoo-based [version](#)) runs entirely from RAM; openbox desktop
- [ToOpPy Linux \(2\)](#) (based on PuppyLinux) liveboot, operates completely in RAM; JWM desktop

Embedded devices

- [ChibiOS/RTSF](#) ARM7, Cortex-M0, Cortex-M3, Cortex-M4, PowerPC e200z, STM8, AVR, MSP430, ColdFire, H8S, x86
- [DD-WRT W](#) a Linux based alternative OpenSource firmware suitable for a variety of WLAN routers and embedded systems
- DevuanEmbedded (xref: Devuan GNU+Linux)
- [Gargoyle](#) work is underway to port Gargoyle [to the latest version of LEDE](#)
- [LEAF](#) (Linux Embedded Appliance Framework) xref: [Bering-uClibc](#)
- [libreCMC](#) (LibreWRT successor) supports a wide range of routers, plus some small single board computers. [FSF-approved](#)
- [Moebius Linux](#) ?what init system?, armhf [changelog](#) minimal (no X) distro currently focused on RaspberryPi v3
- [OpenWrt](#) ([LEDE](#) merged into OpenWrt) provides a fully writable filesystem, and package management.
- [PiBox](#) ([BusyBox](#) init) an embedded distribution for the Raspberry Pi
- [postmarketOS \(2\)\(3\)](#) a touch-optimized, pre-configured Alpine Linux tailored for [smartphones and other mobile devices](#)
- [ProteanOS \(2\)](#) ([BusyBox](#) init) an [FSF-approved](#) Linux-libre distribution for embedded systems

Non-English

- [aldOS](#) Spanish distro, uses upstart, eudev, ConsoleKit2[8]; MATE desktop
- [mdrights live](#) Chinese Liveslak-based distro, mdrights is a Chinese social rights movement; amd64
- [Pisi LinuxDW](#) Turkish distro (sysvinit + python init scripts) x86_64
- [Plamo LinuxDW](#) Japanese Slackware-based distro; i486, amd64
- [Vine LinuxDW](#) Japanese Debian-based distro, Kanji support across most applications; Japanese input support via FreeWnn or Canna input server; i686, powerpc, x86_64
- [WifislaxDW\(3\)](#) Spanish Slackware-based distro; i486

From:

<https://without-systemd.frama.wiki/> - **Without Systemd**

Permanent link:

https://without-systemd.frama.wiki/linux_distributions_without_systemd?rev=1579430028

Last update: **2020/01/19 11:33**

